



Action Camera **(Dive Bundle)**

GC-XA1EU

Capture your view of the world in Full HD with this durable and versatile Action Camera featuring QUAD-PROOF (5m waterproof/2m shockproof/dustproof/freezeproof) in a light-weight and compact, unique no-housing design. Equipped with Wi-Fi for immediate streaming and sharing online along with smartphone linking, it also comes with a 1.5" LCD Monitor, Super-Wide Lens, HDMI output, SDXC compatible card slot, and dual standard tripod holes for maximum mounting flexibility. Complete with underwater housing rated to 40 metres




**£349.00**

Current stock comes complete with a free SAMSUNG 4GB Class 4 SDHC card



It's memory for life





## Features

- QUAD PROOF - Waterproof (5m), Shockproof (2m), Dustproof, Freezeproof - No housing required
- 
- Wi-Fi Compatibility (Smartphone Linking\*, Streaming, and Remote control functions)
- 
- 1.5" LCD Monitor
- 
- Super-Wide Lens
- 
- White Balance (Auto & Manual)
- 
- Time-Lapse REC
- 
- HDMI(R) Output (Mini)
- 
- Wi-Video Software provided (for Windows(R))
- 
- Provided Accessories: Goggle Mount, Flexible Mount, Lens Protector, LCD Protector Film, USB Cable, Battery Pack
- 
- 1920 x 1080P Full HD Video with HDMI(R) Output
- 
- 5 Megapixel Digital Stills
- 
- Digital Image Stabiliser
- 
- 5x Digital Zoom
- 
- SD/SDHC/SDXC Card Slot
- 
- USB Battery Charging
- 
- Software provided (for Windows(R))
- 

\*Free app available for Android phones/tablets, iPhone and iPad

# Specifications

Video Recording modes: FHD: 1920x1080/30p, HD960: 1280x960/30p, HD60: 1280x720/60p, HD30: 1280x720/30p, WVGA: 848x480/30p

Format: [Video recording] Video: MPEG-4 AVC/H.264 (.MP4) Audio: AAC, [Still] JPEG

Broadcasting on USTREAM: YES

Lens: Super-Wide 170 degree Lens

Wireless Data transfer to PC: YES

Easy Upload to YouTube(TM)/Facebook/Picasa/TwitVid: YES ( HD Compatible)

Live Net Streamng on PC: YES

Smartphone Linking: YES

Live Monitoring: YES

Waterproof: 5M - IEC Standard publication 529 IPX8

Dustproof: IEC Standard publication 529 IP6X

Freezeproof: -10 Degrees Celcius

Shockproof: 2M -MIL-STD 810F Method 516.5-Shock

Storage media: SD Memory Card (SDXC Compatible)

Zoom Ratio: 5x

Focal Length: 3.8 (35mm film equivalent: 25.4)

F. Stop: F2.8

Digital Image Stabliser: YES

No. of CCD/CMOS Pixels: 5M CMOS 1/2.5"

Full-Auto/Manual White Balance: YES

Still Image Size: 2592 x 1944

jpeg Still shooting: YES

MP4 Video Recording: YES

LCD Monitor: 1.5"

Interfaces: HDMI(R) output (Mini) / SD Memory Card Slot (SDXC Compatible)/ USB 2.0/1.1 / USB 2.0 High-Speed Data Transfer to PC / NTSC/PAL Output Selection

Picture Inversion: YES

Time Lapse recording: YES

